

रजिस्ट्रेशन नम्बर-एस०एस०पी०/एल०-डब्लू०/एन०पी०-91/2014-16 लाइसेन्स टू पोस्ट ऐट कन्सेशनल रेट

# सरकारी गजट, उत्तर प्रदेश

## उत्तर प्रदेशीय सरकार द्वारा प्रकाशित

# असाधारण

### विधायी परिशिष्ट भाग–4, खण्ड (ख)

(परिनियत आदेश)

लखनऊ, शुक्रवार, 27 दिसम्बर, 2024 पौष 6, 1946 शक सम्वत्

उत्तर प्रदेश शासन

पर्यावरण, वन एवं जलवायु परिवर्तन अनुभाग-4

संख्या 1529 / 81-4—2024 लखनऊ, 27 दिसम्बर, 2024

अधिसूचना

#### प0आ0-330

चूँकि अधिसूचना संख्या 398/इक्यासी–4–2024 दिनांक 12 जून, 2024 द्वारा जिला आगरा में 403.09 हेक्टेयर क्षेत्र को सूर सरोवर पक्षी अभयारण्य के रूप में अधिसूचित किया गया था;

और, चूंकि, जिला आगरा में स्थित सूरदास वन ब्लॉक का 380.558 हेक्टेयर वन क्षेत्र, जिसकी प्रास्थिति और सीमाएं नीचे दी गयी अनुसूची में विनिर्दिष्ट हैं, को अधिसूचना संख्या 7887/चौदह–401–48 दिनांक 25 जनवरी, 1956 द्वारा 'आरक्षित वन' के रूप में अधिसूचित किया गया था;

और, चूंकि, केंद्रीय अधिकार प्राप्त समिति (सीईसी) ने रिट याचिका (सिविल) संख्या 13381 सन् 1984 (एम0सी० मेहता बनाम भारत संघ एवं अन्य) दायर आई०ए० संख्या 196157 सन् 2019, 196158 सन् 2019 और 196159 सन् 2019 में प्रस्तुत रिपोर्ट संख्या 17 सन् 2021 दिनांक 25 नवम्बर, 2021 के द्वारा सूरदास वन ब्लॉक के क्षेत्र को इसमें सम्मिलित करके पूर्वोक्त सूर सरोवर पक्षी अभयारण्य के क्षेत्र का विस्तार करने की सिफारिश की है;

और, चूंकि, माननीय सर्वोच्च न्यायालय ने रिट याचिका (सिविल) संख्या 13381 सन् 1984 में दायर आई०ए० संख्या 196157—196159 सन् 2019 में दिनांक 23 सितम्बर, 2022 के आदेश द्वारा सीईसी की पूर्वोक्त रिपोर्ट को बिना किसी आपत्ति के स्वीकार कर लिया है;

और, चूंकि, माननीय राष्ट्रीय हरित अधिकरण ने मूल आवेदन संख्या 529 सन् 2023 (शरद गुप्ता बनाम भारत संघ एवं अन्य) में दिनांक 01 दिसम्बर, 2023 के आदेश द्वारा उत्तर प्रदेश सरकार को माननीय सर्वोच्च न्यायालय के पूर्वोक्त आदेश के अनुपालन के लिए कार्रवाई करने का निदेश दिया है;

और, चूंकि, राज्य सरकार की राय में, पूर्वोक्त आरक्षित वन (सूरदास वन ब्लॉक) के भीतर समाविष्ट क्षेत्र वन्य जीवों या उनके पर्यावरण की सुरक्षा, प्रसार या विकास के प्रयोजनार्थ यथोचित पारिस्थितिक, जीव—जंतु, पूष्पीय, भूआकृति विज्ञान, प्राकृतिक और प्राणि विज्ञान सम्बन्धी महत्व, का है;

अतएव, अब, साधारण खण्ड अधिनियम 1897 (अधिनियम संख्या 10 सन् 1897) की धारा 21 के साथ पिठत वन्य जीव (संरक्षण) अधिनियम, 1972 (अधिनियम संख्या 53 सन् 1972) की धारा 26 क की उपधारा (1) के खण्ड (ख) के अधीन शक्तियों का प्रयोग करके राज्यपाल, इस अधिसूचना के गजट में प्रकाशित किये जाने के दिनांक से पूर्वोल्लिखित आरक्षित वन क्षेत्र (सूरदास वन खण्ड) का 380.558 हेक्टेयर क्षेत्र, जिसका विवरण और सीमायें नीचे अनुसूची में विनिर्दिष्ट हैं, सूर सरोवर पक्षी अभ्यारण्य में इस शर्त के साथ कि अभ्यारण्य में अतिरिक्त रूप से सिम्मिलित किये गये इस क्षेत्र की सीमा के आसपास का पारिस्थिति की संवेदनशील परिक्षेत्र को शून्य किलोमीटर रखा जाएगा, को सिम्मिलित करने की दृष्टि से अधिसूचना संख्या 398/81—4—2024, दिनांक 12 जून, 2024 में निम्निलखित संशोधन करती हैं:—

#### संशोधन

पूर्वोक्त अधिसूचना में अनुसूची—क और उसके सीमा विवरण की सारणी के पश्चात् निम्नलिखित अनुसूची—ख और उससे संबंधित सीमा विवरण बढ़ा दिया जायेगा; अर्थात् :-

"**अनुसूची—ख** सूरदास वन ब्लॉक का क्षेत्र

जि	ला	परगना	भूमि / भाग	का नाम	क्षेत्र	त्रफल	सीमायें
आग	गरा	किरावली	सूरव	:ास	940.3	८८ एकड़	नीचे दिये गये विस्तृत
					(380.558)		सीमा विवरण के अनुसार
					हेक्टेयर		
		सूरदास	। वन ब्लॉक	की सीमा	ओं का f	वेवरण	
खूंटी	का	खूंटी की स्थिति		ी तक का		खूंटी तक	सीमा की प्रकृति दूसरी
नम	बर		लगभग	ा वर्णन		ा दूरी 66	खूंटी तक
						लम्बी चेन	
से	तक		सम्मुख	पीछे	जरीब	कड़ी	
1		2	·	3		4	5
1	2	कीठम और आगरा –	281.50	4.00	31	20	थोड़ा सा मोड़
		मथुरा के जोड़ पर					
2	3	आगरा – मथुरा सड़क के पास	288.50	101.50	11	55	,,
3	4	क पास "	21.00	108.50	0	87	सीधी लाइन
4	5	<b>,</b> ,	293.00	201.00	1	10	भाषा लाइन
5	6	27	293.00	113.00	0	95	"
6	7	"	286.50	27.00	7	60	थोड़ा सा मोड़
7	8	"	42.00	106.50	3	40	सीधी लाइन
8	9	खेत के उठाव के ऊपर	42.00	222.00	7	35	"
9	10	"	122.00	222.00	4	50	"
10	11	"	40.00	302.00	1	54	,,
11	12	"	122.00	220.00	4	30	"
12	13	"	27.00	302.00	2	0	"
13	14	"	305.00	207.00	3	75	"
14	15	"	32.00	125.00	2	90	"
15	16	"	302.00	212.00	2	0	"
16	17	"	226.00	122.00	3	75	"
17	18	"	320.50	46.00	1	55	"
18	19	"	63.00	140.5	2	0	"
19	20	"	49.00	243.0	2	60	"

1		2	(	3		4	5
20	21	खेत के उठाव के ऊपर	317.00	229.0	3	66	सीधी लाइन
21	22	"	30.00	137.0	1	50	"
22	23	"	316.00	210.0	1	80	"
23	24	फॉरेस्ट सड़क के पास	99.00	136.0	7	0	"
		और कीठम की सीमा					
		की तरफ					
24	25	"	99.00	279.0	8	95	"
25	26	"	47.75	279.0	7	50	"
26	27	कीटम रिजर्व वायर	48.00	227.75	7	50	"
		सीमा की तरफ					
27	28	"	46.00	228.0	7	50	"
28	29	"	46.00	226.0	7	50	"
29	30	"	46.00	226.0	5	05	"
30	31	"	46.00	226.0	0	70	"
31	32	कीटम सड़क के पास	46.00	226.0	1	14	"
		थोर कीठम रिजर्व सीमा					
		की तरफ					
32	33	,,	18.00	226.0	10	0	"
33	34	कीटम की रिजर्व सीमा	18.00	198.0	12	0	"
2.4	2.5	की तरफ	207.00	100.0	0	0	22
34	35	"	307.00	198.0	8	0	
35	36		307.00	127.0	5	0	"
36	37	,,	20.00	127.0	11	0	"
37	38	कीठम रिजर्व वायर	300.00	200.0	8	0	"
20	20	सीमा की तरफ	200.00	120.0	7	7.5	>>
38	39		300.00	120.0	7	75	
39	40	"	23.00	120.0	4	05	"
40	41	"	294.00	203.0	6	75	"
41	42	,,	343.00	114.0	5	75	"
42	43	कीटम के निकास के	340.00	163.0	12	75	"
12	4.4	सीधे किनारे पर	20.00	160.0	2	7.5	>>
43	44	"	38.00	160.0	3	75	"
44	45		109.00	218.0	4	0	
45	46	,,	96.00	289	3	50	,,
46	47	यमुना के सीधे किनारे	-	276.0	64	75	यमुना के किनारे की तरफ
47	48	की तरफ	181.25	_	5	20	सीधा
							भाषा
48	49	सूरकुटी के पास	106.00	1.25	06	-	"
49	50		9.25	286.0	2	80	
50	51	यमुना नदी के सीधे किनारे की तरफ	-	189.25	32	50	यमुना के किनारे की तरफ
51	52	"	170.00	-	2	0	सीधी लाइन
52	53	नाला के किनारे के	103.00	350.0	2	90	"
		ऊपर					

1		2	:	3		4	5
53	54	नाला के किनारे के	52.00	283.0	4	0	सीधी लाइन
		ऊपर					
54	55	परती जमीन के ऊपर	85.00	232.0	4	0	"
55	56	खेत की मेड़ के ऊपर	125.00	265.0	3	45	"
56	57	"	182.00	305.0	1	50	"
57	58	,,	104.00	2.0	1	75	"
58	59	"	19.00	284.0	1	40	"
59	60	"	94.00	199.0	0	80	"
60	61	,,	159.00	274.0	1	65	"
61	62	"	72.00	339.0	0	80	"
62	63	"	360.00	252.0	2	0	"
63	64	"	100.00	180.0	3	75	"
64	65	"	147.00	280.0	1	0	"
65	66	"	288.00	327.0	1	25	"
66	67	"	217.00	108.0	1	10	"
67	68	"	143.00	37.0	2	15	"
68	69	"	129.00	323.0	4	70	"
69	70	"	220.00	309.0	1	25	"
70	71	"	89.00	40.0	3	75	"
71	72	"	188.00	269.0	1	25	"
72	73	"	91.00	8.0	3	25	"
73	74	"	182.00	271.0	1	20	"
74	75	परती जमीन के अन्दर	238.00	2.0	1	30	"
75	76	खेत की मेड़ के ऊपर	159.00	58.0	6	30	"
76	77	"	229.00	339.0	2	25	"
77	78	"	178.00	49.0	1	50	"
78	79	,,	90.00	358.0	1	55	"
79	80	,,	146.00	270.0	2	95	"
80	81	,,	213.00	326.0	3	85	"
81	82	,,	316.00	33.0	1	85	"
82	83	"	266.00	136.0	1	75	"
83	84	"	172.00	86.0	3	35	"
84	85	"	280.00	352.0	4	65	"
85	86	"	200.00	100.00	4	75	"
86	87	"	293.00	20.0	3	30	"
87	88	"	279.00	113.0	7	35	"
88	89	"	200.5	99.0	4	25	"
89	90	"	192.00	20.50	4	0	"
90	91	"	272.00	12.0	2	55	"
91	92	"	232.00	92.00	2	40	"
92	93	"	177.00	52.0	3	75	"
93	94	"	226.5	357.0	4	60	"

1		2	3	3		4	5
94	95	 खेत की मेड़ के ऊपर	297.00	46.5	7	95	सीधी लाइन
95	96	"	299.00	117.0	3	20	"
96	97	"	208.00	119.0	5	20	"
97	98	,,	292.00	28.0	0	45	"
98	99	"	220.51	112.0	4	40	"
99	100	"	215.5	40.5	2	90	"
100	101	"	118.00	35.5	6	0	"
101	102	"	189.50	298.0	5	0	"
102	103	"	287.00	9.5	6	0	"
103	104	"	216.00	107.0	4	85	"
104	105	"	199.00	36.0	3	65	"
105	106	"	279.00	19.0	6	75	"
106	107	"	305.00	99.0	5	0	"
107	108	"	294.00	125.0	3	90	"
108	109	"	207.00	114.0	4	10	"
109	110	"	282.00	227.0	2	10	"
110	111	"	204.00	102.0	3	85	"
111	112	"	113.00	24.0	4	60	"
112	113	"	201.00	293.0	0	80	"
113	114	"	135.00	21.0	1	95	"
114	115	"	114.00	315.0	1	80	"
115	116	"	208.00	294.0	1	20	"
116	117	"	284.00	28.0	3	25	"
117	118	"	215.00	104.0	2	60	"
118	119	"	193.00	35.0	2	17	"
119	120	"	103.5	13.0	0	75	"
120	121	"	186.00	283.5	1	85	"
121	122	"	265.0	6.0	0	75	"
122	123	"	176.50	85.0	2	40	"
123	124	"	106.00	356.5	0	75	"
124	125	"	180.00	286.0	2	25	"
125	126	"	270.00	360.0	1	65	"
126	127	"	175.00	90.0	2	25	"
127	128	"	87.00	355.0	3	60	"
128	129	"	102.00	367.0	5	20	"
129	130	"	86.00	282.0	3	80	"
130	131	पक्की सड़क के पास	248.5	266.0	5	35	"
131	132	"	5.00	68.5	0	85	"
132	133	खेत की मेड़ के ऊपर	280.00	185.0	2	90	"
133	134	22	254.00	100.0	1	90	"
134	135	"	199.00	74.0	0	90	"
135	136	"	266.00	19.0	3	40	"

1		2	3	3		4	5
136	137	खेत की मेड़ के ऊपर	355.00	86.0	0	60	सीधी लाइन
137	138	"	280.5	175.0	1	60	"
138	139	"	221.00	100.5	0	75	"
139	140	"	280.00	41.0	1	0	"
140	141	"	11.00	100.0	1	64	"
141	142	"	269.00	191.0	1	84	"
142	143	"	197.00	89.0	1	25	"
143	144	"	282.00	17.0	4	50	"
144	145	"	2.00	102.0	1	40	"
145	146	"	46.00	182.0	2	45	"
146	147	"	36.00	226.0	2	70	"
147	148	"	276.00	216.0	5	15	"
148	149	>>	200.50	96.0	1	40	>>
149	150	>>	276.00	20.5	1	0	"
150	151	>>	19.50	96.0	2	75	>>
151	152	>>	293.00	199.5	6	90	"
152	153	>>	205.00	113.0	0	75	"
153	154	>>	301.5	25.0	1	90	>>
154	155	>>	220.5	121.5	1	20	>>
155	156	>>	303.0	40.5	0	90	>>
156	157	>>	216.0	123.0	4	10	>>
157	158	>>	269.5	36.0	3	40	"
158	159	>>	283.00	89.5	6	20	"
159	160	>>	195.00	103.0	4	50	"
160	161	>>	276.00	15.0	5	75	"
161	162	"	186.00	96.0	1	0	"
162	163	>>	231.00	6.0	1	0	"
163	164	>>	277.00	51.0	4	37	"
164	165	कीठम सड़क के पास	277.00	97.0	0	45	"
165	166	>>	184.00	97.0	3	75	"
166	167	पक्की सड़क के पास	13.00	_	4	50	"
167	168	खेत की मेड़ के ऊपर	97.00	193.0	2	25	"
168	169	>>	10.00	277.0	0	55	"
169	170	>>	101.25	190.0	4	55	"
170	171	>>	15.75	281.25	1	20	"
171	172	>>	292.0	195.75	1	20	"
172	173	>>	349.0	112.0	4	10	"
173	174	>>	292.0	169.0	4	65	"
174	175	>>	293.0	112.0	6	20	"
175	176	>>	23.5	113.0	2	40	"
176	177	>>	103.0	203.5	5	80	"

1		2	3	3		4	5
177	178	खेत की मेड़ के ऊपर	1.00	283.0	2	40	सीधी लाइन
178	179	"	287.00	181.0	1	35	"
179	180	"	22.5	107.0	4	20	"
180	181	"	110.5	202.5	5	60	"
181	182	"	26.0	290.5	2	40	"
182	183	"	106.0	206.0	0	80	"
183	184	"	23.00	286.0	3	40	"
184	185	"	109.00	203.0	1	35	"
185	186	"	19.0	289.0	1	80	"
186	187	"	295.00	199.0	1	80	"
187	188	"	7.0	115.0	3	10	"
188	189	"	285.5	187.0	1	20	"
189	190	कीटम रिजर्व वायर	233.25	105.5	7	30	"
		सीमा के ऊपर					
190	191	"	233.25	53.25	5	50	"
191	192	"	233.25	53.25	6	50	"
192	193	"	233.25	53.25	2	80	"
193	194	"	279.00	53.25	6	20	"
194	195	"	331.00	99.0	6	80	"
195	196	कीटम निकास के सीधे	234.00	151.0	6	0	"
		किनारे के ऊपर					
196	197	"	251.00	54.0	3	20	"
197	198	"	125.00	35.0	4	60	"
198	199	खेत की मेड़ के ऊपर	208.00	305.0	1	90	"
199	200	"	128.00	28.0	4	60	"
200	201	"	212.00	308.0	3	-	"
201	202	पक्की सड़क के पास	128.00	32.0	2	10	"
202	166	"		308.0	16	50	मुड़ा हुआ "

आज्ञा से, अनिल कुमार, प्रमुख सचिव।

In pursuance of the provisions of clause (3) of Article 348 of the Constitution of India, the Governor is pleased to order the publication of the following English translation of notification no. 1529 /LXXXI-4-2024, dated December 27, 2024:

No. 1529/LXXXI-4-2024

Dated Lucknow, December 27, 2024

WHEREAS an area of 403.09 hectares in District Agra was notified as Soor Sarovar Bird Sanctuary *vide* notification no. 398/LXXXI-4-2024, dated June 12, 2024;

AND, WHEREAS, 380.558 hectares of forest area of Surdas Forest Block situated in District Agra, status and boundaries of which are specified in the Schedule given below, was notified as 'reserve forest' *vide* notification no.7887/XIV-401-48, dated January 25, 1956;

AND, WHEREAS, the Central Empowered Committee (CEC) vide Report no. 17 of 2021 dated November 25, 2021, submitted in I.A. nos. 196157 of 2019, 196158 of 2019 and 196159 of 2019 filed in writ Petition (Civil) no. 13381 of 1984 [M.C. Mehta versus Union of India and Others ] has recommended extending the area of the aforesaid Soor Sarovar Bird Sanctuary by including the area of Surdas Forest Block by in it;

AND, WHEREAS, the Hon'ble Supreme Court *vide* order dated September 23, 2022 in I.A. nos. 196157-196159 of 2019 filed in Writ Petition (Civil) no. 13381 of 1984 has accepted the aforesaid report of the CEC without any objection;

AND, WHEREAS, the Hon'ble National Green Tribunal *vide* order dated December 01, 2023 in Original Application no. 529 of 2023 [Sharad Gupta *versus* Union of India and Others] has directed the Government of Uttar Pradesh to take action for compliance of the aforesaid order of the Hon'ble Supreme Court;

AND, WHEREAS, in the opinion of the State Government, the area comprised within the aforesaid reserve forest (Surdas Forest Block) is of adequate ecological, faunal, floral, geomorphological, natural and zoological significance for the purpose of protecting, propagating or developing wildlife or its environment;

Now, Therefore, in exercise of the powers under clause (b) of sub-section (1) of Section 26A of the Wild Life (Protection) Act, 1972 (Act no. 53 of 1972) *read* with Section 21 of the General Clauses Act, 1897 (Act no. 10 of 1897), the Governor with effect from the date of publication of this notification in the *Gazette* is pleased to make the following amendment in Notification no. 398/81-4-2024 dated June 12, 2024 in order to include 380.558 hectares area of aforementioned reserve forest area (Surdas Forest Block), details and boundaries of which are specified in the Schedule below, in Soor Sarovar Bird Sanctuary with the condition that the Eco-Sensitive Zone around the boundary of this additionally included area in the sanctuary shall be kept zero Kilometers.

#### **AMENDMENT**

In the aforesaid notification, after Schedule-A and the table of Boundary Description thereto, the following Schedule-B and the Boundary Description pertaing thereto shall be *inserted*, namely:-

#### " SCHEDULE-B Area of Surdas Forest Block

District	Pargana	Name of Tract	Area	Boundaries
Agra	Kiraoli	Surdas	940.38 acres (380.558 hectares)	As per detailed boundary description as given
				below

#### BOUNDARY DESCRIPTION OF SURDAS FOREST BLOCK

No. of p	oillar		Appro	ximate	Appro	ximate	Nature of
			forward (	magnetic)	distance to next		boundary to
		Situation of pillar	bearing t	o the next	pillar in chains of		next pillar
		_	pi]	llar	66 ft.	length	
From	То		Front	Back	Chains	Link	
1		2		3	4	4	5
1	2	On the joint of Kitham and	281.50	4.00	31	20	Slight curve
		Agra-Mathura Road					
2	3	Near the Agra-Mathura	288.50	101.50	11	55	"
		Road					
3	4	"	21.00	108.50	0	87	Straight line
4	5	"	293.00	201.00	1	10	"
5	6	"	207.00	113.00	0	95	"
6	7	"	286.50	27.00	7	60	Slight curve
7	8	"	42.00	106.50	3	40	Straight line
8	9	On the ridge of field	42.00	222.00	7	35	"

1		2	,	3		4	5
9	10	On the ridge of field	122.00	222.00	4	50	Straight line
10	11	"	40.00	302.00	1	54	"
11	12	"	122.00	220.00	4	30	"
12	13	"	27.00	302.00	2	0	"
13	14	"	305.00	207.00	3	75	"
14	15	"	32.00	125.00	2	90	"
15	16	"	302.00	212.00	2	0	"
16	17	II II	226.00	122.00	3	75	"
17	18	"	320.50	46.00	1	55	"
18	19	"	63.0	140.5	2	0	"
19	20	"	49.0	243.0	2	60	"
		"					"
20	21	"	317.0	229.0	3	66	"
21	22	"	30.0	137.0	1	50	"
22	23		316.0	210.0	1	80	"
23	24	Near Forest road and along Kitham boundary	99.0	136.0	7	0	, "
24	25	"	99.00	279.0	8	95	"
25	26	"	47.75	279.0	7	50	"
26	27	Along Kitham Reservoir boundary	48.0	227.75	7	50	"
27	28	"	46.0	228.0	7	50	"
28	29	"	46.0	226.0	7	50	"
29	30	"	46.0	226.0	5	05	"
30	31	ıı ı	46.0	226.0	0	70	"
31	32	Near Kitham road and along Kitham Reservoir boundary	46.0	226.0	1	14	n
32	33	Ditto	18.0	226.0	10	0	"
33	34	Along Kitham Reservoir boundary	18.0	198.0	12	0	"
34	35	"	307.0	198.0	8	0	"
35	36	"	307.0	127.0	5	0	"
36	37	"	20.0	127.0	11	0	"
37	38	Along Kitham Reservoir boundary	300.0	200.0	8	0	Straight line
38	39	"	300.0	120.0	7	75	"
39	40	"	23.0	120.0	4	05	"
40	41	"	294.0	203.0	6	75	"
41	42	"	343.0	114.0	5	75	"
42	43	On the right bank of Kitham escape	340.0	163.0	12	75	"
43	44	"	38.0	160.0	3	75	"
44	45	"	109.0	218.0	4	0	"
45	46	"	96.0	289	3	50	"
46	47	Along the right bank of river Yamuna		276.0	64	75	Along Yamuna right bank curved

]	1	2		3		4	5
47	48	Along the right bank of river Yamuna	181.25	-	5	20	Straight
48	49	Near Surkuti	106.00	1.25	06	-	"
49	50	"	9.25	286.0	2	80	"
50	51	Along the right bank of Yamuna River	-	189.25	32	50	Along Bank of Yamuna curved
51	52	"	170.0	-	2	0	Straight line
52	53	On the bank of nala	103.00	350.0	2	90	"
53	54	"	52.00	283.0	4	0	"
54	55	On the parti land	85.00	232.0	4	0	"
55	56	On the mend of field	125.00	265.0	3	45	"
56	57	"	182.00	305.0	1	50	"
57	58	"	104.00	2.0	1	75	"
58	59	"	19.00	284.0	1	40	"
59	60	"	94.00	199.0	0	80	"
60	61	"	159.00	274.0	1	65	"
	_	"				-	"
61	62	"	72.00	339.0	2	80	"
62	63	"	360.00	252.0		0	"
63	64	"	100.00	180.0	3	75	,,
64	65	"	147.00	280.0	1	0	"
65	66	"	288.00	327.0	1	25	"
66	67		217.00	108.0	1	10	
67	68	"	143.00	37.0	2	15	"
68	69	"	129.00	323.0	4	70	"
69	70	"	220.00	309.0	1	25	"
70	71	"	89.00	40.0	3	75	"
71	72	"	188.00	269.0	1	25	"
72	73	"	91.00	8.0	3	25	"
73	74	"	182.00	271.0	1	20	"
74	75	In this parti land	238.00	2.0	1	30	"
75	76	On the mend of the field	159.00	58.0	6	30	"
76	77	"	229.00	339.0	2	25	"
77	78	"	178.00	49.0	1	50	"
78 79	79 80	"	90.00	358.0 270.0	2	55 95	"
80	81	"	213.00	326.0	3	85	"
81	82	"	316.00	33.0	1	85	"
82	83	"	266.00	136.0	1	75	"
83	84	"	172.00	86.0	3	35	"
84 85	85 86	" "	280.00	352.0 100.00	4	65 75	"
		"			3		"
86	87	"	293.00	20.0		30	"
87	88	,,	279.00	113.0	7	35	"

1		2		3		4	5
88	89	On the mend of the field	200.5	99.0	4	25	Straight line
89	90	"	192.00	20.50	4	0	"
90	91	"	272.00	12.0	2	55	"
91	92	"	232.00	92.00	2	40	"
92	93	"	177.00	52.0	3	75	"
93	94	"	226.5	357.0	4	60	"
94	95	"	297.00	46.5	7	95	"
95	96	"	299.00	117.0	3	20	"
96	97	"	208.00	119.0	5	20	"
97	98	"	292.00	28.0	0	45	"
98	99	"	220.51	112.0	4	40	"
99	100	"	215.5	40.5	2	90	"
100	101	"	118.00	35.5	6	0	"
101	102	"	189.50	298.0	5	0	"
102	103	"	287.00	9.5	6	0	"
103	104	"	216.00	107.0	4	85	"
104	105	"	199.00	36.0	3	65	"
105	106	"	279.00	19.0	6	75	"
106	107	"	305.00	99.0	5	0	"
107	108	"	294.00	125.0	3	90	"
108	109	"	207.00	114.0	4	10	"
109	110	"	282.00	227.0	2	10	"
110	111	"	204.00	102.0	3	85	"
111	112	"	113.00	24.0	4	60	"
112	113	"	201.00	293.0	0	80	"
113	114	"	135.00	21.0	1	95	"
114	115	"	114.00	315.0	1	80	"
115	116	"	208.00	294.0	1	20	"
116	117	"	284.00	28.0	3	25	"
117	118	"	215.00	104.0	2	60	"
118	119	"	193.00	35.0	2	17	"
119	120	"	103.5	13.0	0	75	"
120	121	"	186.00	283.5	1	85	"
121	122	"	265.0	6.0	0	75	"
122	123	"	176.50	85.0	2	40	"
123	124	"	106.00	356.5	0	75	"
124	125	"	180.00	286.0	2	25	"
125	126	"	270.00	360.0	1	65	"
126	127	"	175.00	90.0	2	25	"
127	128	"	87.00	355.0	3	60	"
128	129	"	102.00	367.0	5	20	"
129	130	"	86.00	282.0	3	80	"
130	131	Near pucca road	248.5	266.0	5	35	"
131	132	"	5.00	68.5	0	85	"

1		2		3	4	4	5
132	133	On the mend of the field	280.00	185.0	2	90	Straight line
133	134	"	254.00	100.0	1	90	"
134	135	"	199.00	74.0	0	90	"
135	136	"	266.00	19.0	3	40	"
136	137	"	355.00	86.0	0	60	"
137	138	"	280.5	175.0	1	60	"
138	139	"	221.00	100.5	0	75	"
139	140	"	280.00	41.0	1	0	"
140	141	"	11.00	100.0	1	64	"
141	142	"	269.0	191.0	1	84	"
142	143	"	197.0	89.0	1	25	"
143	144	"	282.0	17.0	4	50	"
144	145	"	2.0	102.0	1	40	"
145	146	"	46.0	182.0	2	45	"
146	147	"	36.0	226.0	2	70	"
147	148	"	276.0	216.0	5	15	"
148	149	"	200.50	96.0	1	40	"
149	150	"	276.00	20.5	1	0	"
150	151	"	19.50	96.0	2	75	"
151	152	"	293.00	199.5	6	90	"
152	153	"	205.00	113.0	0	75	"
153	154	"	301.5	25.0	1	90	"
154	155	"	220.5	121.5	1	20	"
155	156	"	303.0	40.5	0	90	"
156	157	"	216.0	123.0	4	10	"
157	158	"	269.5	36.0	3	40	"
158	159	"	283.0	89.5	6	20	"
159	160	"	195.00	103.0	4	50	"
160	161	"	276.00	15.0	5	75	"
161	162	"	186.0	96.0	1	0	"
162	163	"	231.0	6.0	1	0	"
163	164	11	277.00	51.0	4	37	"
164	165	Near Kitham road	277.00	97.0	0	45	"
165	166	11	184.00	97.0	3	75	"
166	167	Near pucca road	13.00	•	4	50	"
167	168	On the mend of the field	97.00	193.0	2	25	"
168	169	"	10.00	277.0	0	55	"
169	170	"	101.25	190.0	4	55	"
170	171	"	15.75	281.25	1	20	"
171	172	"	292.0	195.75	1	20	"
172	173	"	349.0	112.0	4	10	"
173	174	"	292.0	169.0	4	65	"
174	175	"	293.0	112.0	6	20	"

1		2	3		4		5
175	176	On the mend of the field	23.5	113.0	2	40	Straight line
176	177	"	103.0	203.5	5	80	"
177	178	11	1.00	283.0	2	40	"
178	179	"	287.00	181.0	1	35	"
179	180	11	22.5	107.0	4	20	"
180	181	"	110.5	202.5	5	60	"
181	182	"	26.0	290.5	2	40	"
182	183	11	106.0	206.0	0	80	"
183	184	"	23.00	286.0	3	40	"
184	185	11	109.00	203.0	1	35	"
185	186	"	19.0	289.0	1	80	"
186	187	"	295.00	199.0	1	80	"
187	188	"	7.0	115.0	3	10	"
188	189	"	285.5	187.0	1	20	"
189	190	On the Kitham Reservoir	233.25	105.5	7	30	"
		boundary					
190	191	"	233.25	53.25	5	50	"
191	192	"	233.25	53.25	6	50	"
192	193	"	233.25	53.25	2	80	"
193	194	On the Kitham Reservoir boundary	279.00	53.25	6	20	"
194	195	"	331.00	99.0	6	80	"
195	196	On the right bank of	234.00	151.0	6	0	"
		Kitham escape					
196	197	11	251.00	54.0	3	20	"
197	198	11	125.00	35.0	4	60	"
198	199	On the mend of filed	208.00	305.0	1	90	"
199	200	"	128.00	28.0	4	60	"
200	201	"	212.00	308.0	3	-	"
201	202	Near pucca road	128.00	32.0	2	10	"
202	166	"		308.0	16	50	Curved"

By order, ANIL KUMAR, Pramukh Sachiv.